

Moulded PET Screens



PET FRONT




PET Front Specifications

Panel thickness nominal 18mm (Tapered edges means the thickness is varied across the panel).

Black clamp mount brackets suit 15-45mm worktops.

* Height above desk can be varied with custom drilling of PET mounting brackets.




Colors



Duo: Charcoal 20
/ Light Grey 09
HF-2009-F1B



Charcoal 20
HF-20-F1B




Light Grey 09
HF-09-F1B



Dark Blue 30
HF-30-F1B


PET ABOVE OR BELOW

PET Below Specifications



Black mounting brackets screw fix to the underside of the worktop.

PET Above Specifications



Black screen clamp brackets — no screen drilling required.
Suits 15-25mm worktops.




Colors



Duo: Charcoal 20
/ Light Grey 09
HA-2009-B



Charcoal 20
HA-20-B



Light Grey 09
HA-09-B



Green 21
HA-21-B

PET moulded screens represent a new development in screen technology.

Available for quick ship...

Cost effective...

Length is 1400 long
(no other lengths available)

PET Screen is manufactured using multi-layered PET material that is moulded under very high pressure to create a stronger, better finished product. screens are not simply cut from sheets of PET board.

PET is available in three standard forms, and several colours, from modesty panel versions to the simple above the desk divider or front mounted screens

PET screens come with all the environmental benefits...it is classed as low VOC...made from recycled product and recyclable.

PET provides new aesthetic to your office with the fully moulded design while performing it's job as a visual barrier.

WARRANTY 5 Years.

Mounting Brackets



Front



Above



Below
(Two mounting possibilities)

